

## Series 6610 – Line Filter Elements



Series 6610 line filters are designed for line mounting in tubing with compression-type fittings. They are ideal for filtering liquids and gases to protect sensitive instruments.

Mott Series 6610 line filters are offered for three tube sizes, in a variety of media grades.

Standard materials are 316L stainless steel porous media and 316 stainless steel flange.

To assure a leak-tight seal in the assembly, o-ring seal should be used as noted below.

### Standard Filter Availability:

**Series No.** – 6610 Filter

#### Dimensions

(D) Porous Diameter	(L) Porous Length	(F) Flange Thickness
- 0.170"	- 0.64"	- 3/64"
- 0.250"	- 1.00"	- 3/32"
- 0.317"	- 1.463"	- 1/8"

**Media Grades** 0.5, 2, 5, 10, 20, 40

### Optional O-ring Seal:



**Series No. 2-006** (Element dia. 0.170") - **Select seal material**

**Series No. 2-010** (Element dia. 0.250") - **Select seal material**

**Series No. 2-012** (Element dia. 0.317") - **Select seal material**

- Seal Materials**
- B (Buna N)
  - N (Neoprene)
  - T (*Teflon*®)
  - V (Viton)

Note: For other lengths, media grades, or materials – consult factory



*Teflon*® is a registered trademark of E. I. DuPont Nemours & Co., Inc.

## > porous metal products



ISO 9001:2008 CERTIFIED  
PMINST 6610 1114